



p- pressure difference	Q-flow capacity (T/H)											
	DN15	DN20	DN25	DN32	DN40	DN50	DN65	DN80	DN100	DN125	DN150	DN200
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1.00	8.54	15.18	23.73	38.88	60.75	94.92	160.40	243.00	380.00	593.00	854.00	1518.00
2.00	12.08	21.47	33.56	54.98	85.91	134.24	226.84	343.65	537.40	838.63	1207.74	2146.78
3.00	14.79	26.29	41.10	67.34	105.22	164.41	277.82	420.89	658.18	1027.11	1479.17	2629.25
4.00	17.08	30.36	47.46	77.76	121.50	189.84	320.80	486.00	760.00	1186.00	1708.00	3036.00
5.00	19.10	33.94	53.06	86.94	135.84	212.25	358.67	543.36	849.71	1325.99	1909.60	3394.35
6.00	20.92	37.18	58.13	95.24	148.81	232.51	392.90	595.23	930.81	1452.55	2091.86	3718.33
7.00	22.59	40.16	62.78	102.87	160.73	251.13	424.38	642.92	1005.39	1568.93	2259.47	4016.25
8.00	24.15	42.94	67.12	109.97	171.83	268.47	453.68	687.31	1074.80	1677.26	2415.48	4293.55
9.00	25.62	45.54	71.19	116.64	182.25	284.76	481.20	729.00	1140.00	1779.00	2562.00	4554.00
10.00	27.01	48.00	75.04	122.95	192.11	300.16	507.23	768.43	1201.67	1875.23	2700.59	4800.34
11.00	28.32	50.35	78.70	128.95	201.48	314.81	531.99	805.94	1260.32	1966.76	2832.40	5034.64
12.00	29.58	52.59	82.20	134.68	210.44	328.81	555.64	841.78	1316.36	2054.21	2958.34	5258.51
13.00	30.79	54.73	85.56	140.18	219.04	342.24	578.33	876.15	1370.11	2138.09	3079.14	5473.23
14.00	31.95	56.80	88.79	145.48	227.31	355.16	600.16	909.22	1421.83	2218.80	3195.38	5679.84
15.00	33.08	58.79	91.91	150.58	235.28	367.62	621.23	941.13	1471.73	2296.68	3307.53	5879.19
16.00	34.16	60.72	94.92	155.52	243.00	379.68	641.60	972.00	1520.00	2372.00	3416.00	6072.00

DN	DN15	DN20	DN25	DN32	DN40	DN50	DN65	DN80	DN100	DN125	DN150	DN200
Kv Value	8.54	15.18	23.73	38.88	60.75	94.92	160.40	243.00	380.00	593.00	854.00	1518.00





1. For the PN16 Y- Strainer ,mesh 10 (screen hole dia is 2.0mm)
2. Under the room temperature , with water medium.



1. For the PN16 Y- Strainer ,mesh 10 (screen hole dia is 2.0mm)
2. Under the room temperature , with water medium.