



11	Eyebolt	SS316	1
10	Seat	EPDM	1
9	Plate rivet	Stainless Steel	2
8	Trademark	Stainless Steel	1
7	Body	GG40+EPDM lining	1
6	DISC	CFRM	2
5	Spring	SS316	2
4	Washer	PTFE	3
3	Pin	SS316	2
2	Washer	PTFE	2
1	Plug	SS316	4

NO.	NAME	MATERIAL	QTY
TEST PRESSURE	SHELL		SEAL
	HYDROSTATIC		15 bar
	AIR		11 bar
STAND-ARD	DESIGN CODE	API594	
	INSPECTION & TEST	API 598	
	END STANDARD	EN1092-2 PN10	
	FACE TO FACE	ISO5752	

TITLE :CHECK VALVE
DN50-DN600

APPROVED		DWG NO.	REV
CHECKED			
DRAWN			
DESIGNED		SCALE	UNIT mm

SIZE	D	D1	D2	L	R	T
50	106	65	45.56	43	29.7	18.5
65	126	78	60.1	46	36.1	21.5
80	141	94	66.3	64	43.4	28
100	161	117	97.2	64	55.6	27
125	191	145	122.4	70	68.1	30
150	217	170	144.4	76	78.6	31
200	272	222	198.0	89	104.4	33
250	327	265	233.7	114	128	50.5
300	377	310	283.2	114	148	43
350	437	360	332.9	127	172.4	45
400	487	410	380.8	140	197.4	52
450	537	450	419.9	152	217.8	58
500	592	505	476.3	152	241	58
600	694	624	576.6	178	297.4	73

		NAME	DATE	SIZE	DWG NO	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS AND TOLERANCES ARE +/-0,5
	DRAWN	MOTO	dd.mm.yyyy	A3	WOD-180-022-DN50-DN600	
	CHECKED	TOCO	dd.mm.yyyy	FILE NAME: WOD-180-022-DN50-DN600.pdf		
	ENG APPR	TOCO	dd.mm.yyyy	SCALE:	REV:	
TITLE	RUBBER COATED DUAL CHECK VALVE, DIN PN 10/16 FLANGES	MGR APPR	TOCO	dd.mm.yyyy	WEIGHT:	SHEET: 1 OF 1

REV	DESCRIPTION	DATE	APPROVED
REVISION HISTORY			